Ricoh 5th **Color Station** Pro C7100X / C7110X / C7100SX / C7110SX

Creating the 5th Color Layer – White, in Adobe InDesign



This tutorial will explain and demonstrate how to create and use a **White** Spot Color on **Dark Colored Media**.

In this example, a swatch and layer will be created in InDesign, which will allow for the type and pattern of this invitation to be printed with **White Toner**.

Before areas of the file are applied, begin by creating a New Color Swatch, which Fiery[®] Command WorkStation will use when applying the White Toner.

1. Open or create the InDesign (or Illustrator) file you are looking to enhance with White Toner.

2. Create a New Color Swatch.

- a. Name the swatch "White."
- b. Select "**Spot**" for the Color Type.
- c. It's recommended to choose a color that stands out, such as 100% Magenta, to easily see where the White will print.





3. The White / Magenta Spot Color will represent the White Toner.

\$ Swatches	*≣
∎а 🗆 т	Tint: 100 🕨 %
🖊 [None]	× 🛛 *
[Registration]	× 👳
White	0 🛛
[Paper]	

4. The amount of toner density can be adjusted in the color panel

5. Now we can create Objects and fill with the 5th Color, White. Be sure to turn on **Overprint Fill**, under the Attributes panel.





6. Export / Save file as a PDF/X-4, (PDF1.6 or newer).

		Export Adobe PDF	
Adobe PDF Preset:	[PDF/X-4:2008]		▼
Standard:	PDF/X-4:2010	Compatibility: Acrobat 7 (PDF 1.6)	•
General	General		
Compression Marks and Bleeds Output Advanced Security	Description:	Use these settings to create Adobe PDF documents that are to be checked or must conform to PDF/X-4:2008, an ISO standard for graphic content exchange. For more information on creating PDF/X-4 compliant PDF documents, please refer to the Acrobat User Guide. Created PDF documents can be opened with Acrobat and	

White vector on Dark Colored Media

White Toner (Single Pass)

Dark Colored Media

on the Density Scale.

- a. From the Menu bar select "Window" then "Color" to display the Color Panel. If the Density Scale is not displayed, select *Show Options.*
- b. Drag the Density Scale or enter the percentage in the box to adjust the density.





• Pages		
O Spreads		
Options		
Embed Page Thumbnails	View PDF after Exporting	
Optimize for Fast Web Vie	ew Create Acrobat Layers	
Create Tagged PDF		
Export Layers: Visible & Prin	ntable Layers 🔍	
Include		
Bookmarks	Non-Printing Objects	
Hyperlinks	Visible Guides and Grids	
Interactive Elements: Do No	ot Include	

Refer to "Printing the 5th Color from Fiery[®] Command WorkStation" for steps on Printing PDFs.

